

In the Claims:

1-26. Cancelled

27. (Previously Presented) A platform deck or flat rack container, with capture and handling fittings disposed at both 40ft and 45ft spans, for conformity with dual handling standards.
28. (Previously Presented) The platform deck or flat rack container of Claim 27, wherein the capture and handling fittings are grouped by different span standards.
29. (Previously Presented) The platform deck or flat rack container of Claim 27, with respective support posts, and attendant said capture and handling fittings, at different spans.
30. (Previously Presented) The platform deck or flat rack container of Claim 27, with multiple support posts, grouped together in a post module at or adjacent deck ends.

31. (Previously Presented) The platform deck or flat rack container of Claim 27, with independently folding support post groups.
32. (Cancelled)
33. (Previously Presented) The platform deck or flat rack container of Claim 27, with support posts at opposite sides pivot mounted for inward transverse fold, to overlie one another upon said platform deck.
34. (Previously Presented) The platform deck or flat rack container of Claim 33, with support post pivots at different heights, to allow mutual collapse fold overlay.
35. (Previously Presented) The platform deck or flat rack container of Claim 27, with paired telescopic support posts, operable by joint ram and cable drive, with respective said capture and handling fittings at different standard spans.
36. (Previously Presented) The platform deck or flat rack

container of Claim 27, with a movable deck, carried at or adjacent each corner by paired adjustable span support posts with respective said capture and handling fittings at different spans.

37. (Previously Presented) The platform deck or flat rack container of Claim 36, with on-board hydraulic rams, and cable pulley drive coupling, for support post extension and suspended deck movement.
38. (Previously Presented) The platform deck or flat rack container of Claim 27, with a movable upper deck, carried by support posts surmounting a base deck.
39. (Previously Presented) The platform deck or flat rack container of Claim 27, with a tapered deck end profile to create end ramps for a vehicle cargo to allow vehicle tilt for compact fit within flat rack deck confines.
40. (Previously Presented) The platform deck or flat rack container of Claim 27, with a hinged trap door in a deck

floor intermediate deck ends to allow local tilt of a vehicle cargo disposed with wheels thereupon.

41. (Previously Presented) The platform deck or flat rack container of Claim 27, with multiple said capture and handling fittings, carried by individual support posts.
42. (Previously Presented) The platform deck or flat rack container of Claim 29, with a support post extension ram disposed within post confines.
43. (Previously Presented) The platform deck or flat rack container of Claim 29, with a cable suspension disposed within support post confines.
44. (Currently Amended) The platform deck or flat rack container of Claim 27, with dual inter-fitting decks carried between adjustable span support posts pivotally mounted for inward transverse fold to allow a compact overall collapse fold with support posts within ~~mutually-inset~~ dual inter-fitting decks.

45. (Currently Amended) The platform deck or flat rack container of Claim 27, with selectively operable collapse fold interlock, between inward folded support posts, gate carried thereby, and underlying a deck.
46. (Previously Presented) The platform deck or flat rack container of Claim 38, with movable deck over-travel facility and lock, to facilitate under deck loading.
47. (Cancelled)
48. (Cancelled)
49. (Cancelled)
50. (Cancelled)
51. (Cancelled)
52. (Cancelled)
53. (Cancelled)